



SQUIRE

Lockmakers Since 1780

@WORK



Stronghold® Combi

High security combination locks



Toughness guaranteed.



10 Year
Guarantee



Stronghold® Combi

SS50 and SS50CS Combi - Extra High Security Combination Locks



Security Rating

10
9
8
7
6
5
4
3
2
1

Features

- Extra high security padlock, 5 wheels with 100,000 possible combinations - Recodable
- 50mm Solid hardened steel lock body
- 10mm hardened boron alloy steel shackles
- Electrophoretic finish - excellent corrosion resistance
- Protective lock body cover
- Highly attack resistant
- 200 hours salt spray tested - highly weather resistant
- Unique easy to use open and closing mechanism



Boron steel shackle



Stormproof marine



No keys to lose




Anti-bump lock cylinder



Can be coded alike



100,000 combinations



Made in Britain



Independent crime-fighting charity

Model Number	Category	Security Rating	Shackle Material	Body Material	Dimensions (mm)					Mechanism	No. of Wheels	No. of Combinations	Barcode Number	Packaging
					A	B	C	D	E					
SS50/COMBI	@WORK	8	Boron Alloy Steel - Hardened	Hardened Steel	55	30	10	24	22	Recodable Combination	5	100,000	5012245028690	Blister
SS50C/COMBI	@WORK	8	Boron Alloy Steel - Hardened	Hardened Steel	55	30	10	14	16	Recodable Combination	5	100,000	5012245028706	Blister



0411 356 833 lock.sales@squirelocks.com.au www.squirelocks.com.au

Bramah Australasia

Sole Australian agent for selected Henry Squire & Sons products.

PO Box 210, Chidlow, WA, 6556



10 Year Guarantee



Stronghold® Stormproof Range

Extra high security all weather padlocks



Features

- Available in three body widths 80mm, 50mm and 65mm - solid hardened steel lock bodies
- Open, closed and long shackle types available
- Hardened boron alloy steel shackles
- Highly corrosion resistant Electrophoretic black coating with stormproof cover



Stormproof



Made in Britain

Uses

Garages, Warehouses, Perimeter gates, Heavy goods vehicles, Trailers, High Security doors



Model Number	A	B	C	D	E	Shackle Material	Hardened Shackle	Body Material
SS80S	80	40	16	32	32	Boron steel	Yes	Solid hardened steel
SS80CS	80	40	16	32	23.5	Boron steel	Yes	Solid hardened steel
SS65S	68	35	12.7	39	29.5	Boron steel	Yes	Solid hardened steel
SS65CS	68	30	12.7	19	19	Boron steel	Yes	Solid hardened steel
SS50S	53	30	10	26	22	Boron steel	Yes	Solid hardened steel
SS50CS	53	30	10	16	16	Boron steel	Yes	Solid hardened steel
SS65S2.5	68	35	12.7	65	29.5	Boron steel	Yes	Solid hardened steel
SS50S2.5	53	30	10	65	22	Boron steel	Yes	Solid hardened steel

